

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

1.1 Product Identifier: **SUPATURF STADIA**
1.2 Relevant uses of the substance or mixture and uses advised against:
 Turf line marking paint
1.3 Manufacturer/Distributor: Vitax Limited
 Owen Street, Coalville LE67 3DE
 Tel: +44 (0)1530 510060 Email: info@vitax.co.uk
1.4 Emergency Contact: Tel: +44 (0)1530 510060 (Office Hours)

2. HAZARDS IDENTIFICATION

2.1 Classification: **Classification according to Regulation (EC) No 1272/2008 (EU-GHS/CLP)**
Physical hazards not classified
Health hazards not classified
Environmental hazards not classified
2.2 Label Elements:
Signal word: none
Hazard statements: none
Precautionary Statements none
Supplementary information EUH066 – Repeated exposure may cause skin dryness or cracking.
 EUH208: Contains 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one mixture (3:1). May produce an allergic reaction.
 EUH210: Safety data sheet available on request.
 EUH211: Warning! Hazardous respirable droplets may be formed when sprayed.
 Do not breathe spray or mist.
2.3 Other Hazards: The product does not contain a substance fulfilling PBT or vPvB criteria.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name	CAS-No./ EINECS-No.	Annex Index or REACH number	Symbol(s) and Phrases	Concentration [%]
reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] CIT/MIT mixture (3:1)	CAS: 55965-84-9 EINECS: 611-341-5	Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48	Acute Tox. 3, H301; Acute Tox. 2, H310; H330 Skin Corr. 1C, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1; H317: C ≥ 0.0015 %	>0.00015% C < 0.0015%
Bronopol	CAS: 52-51-7 EINECS: 200-143-0	Index number: 603-085-00-8 Reg.nr.: 01-2119980938-15	Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; STOT SE 3, H335	>0.01% C < 0.1%
Non-hazardous component				
Titanium dioxide containing <1 % of particles with aerodynamic diameter ≤ 10 µm	CAS-No.: 13463-67-7 EC-No.: 236-675-5	REACH-Reg. No: 01-2119489379-17- xxxx	-	>10 C < 25%

4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention if any discomfort continues.

SAFETY DATA SHEET

Date of Issue: February 2004

Revision: November 2021

- Ingestion** Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.
- Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
- Eye contact** Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.
- 4.2. Most important symptoms and effects, both acute and delayed**
Not available
- 4.3 Indication of immediate medical attention and special treatment needed:**
Not available.

5. FIRE FIGHTING MEASURES

- 5.1. Extinguishing media**
Extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.
- 5.2. Special hazards arising from the substance or mixture**
Hazardous combustion products None under normal conditions.
Unusual Fire & Explosion Hazards Not known.
- 5.3. Advice for firefighters**
Special Fire Fighting Procedures Avoid breathing fire vapours.
Protective equipment for fire-fighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures**
Wear protective clothing as described in Section 8 of this safety data sheet.
- 6.2. Environmental precautions**
Do not discharge onto the ground or into water courses.
- 6.3. Methods and material for containment and cleaning up**
Soak up spillage using sand or inert absorbent and collect spillage with shovel, and transfer to suitable marked container for disposal. Dispose of large amounts of spillage/waste according to agreement with local authorities.
- 6.4. Reference to other sections**
None

7. HANDLING & STORAGE

- 7.1. Precautions for safe handling**
Avoid inhalation of dust and contact with skin and eyes.
- 7.2. Conditions for safe storage, including any incompatibilities**
Store in tightly closed original container in a dry, cool and well-ventilated place. Keep separate from food, feedstuffs, fertilisers and other sensitive material.
Storage Class Miscellaneous hazardous material storage.
- 7.3. Specific end use(s)**
Usage Description Line marking paint.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1 Control parameters:

Chemical Name	CAS-No./ EINECS-No.	WEL Workplace exposure limit	Concentration [%]
1,2-Propylene glycol	57-56-6	Long-term value 474 mg/m ³ , 150ppm total vapour and particulates 10mg/m ³ particulates	<1% C >0.1%

8.2 Exposure Controls:

- Protective equipment** No specific protective clothing requirement
- Engineering measures** Provide adequate general and local exhaust ventilation.
- Respiratory equipment** If ventilation is insufficient, suitable respiratory protection must be provided.
- Hand protection** Suitable chemical resistant gloves (EN 374) for prolonged, direct contact.
- Eye protection** No specific protective clothing requirement.
- Hygiene measures** Wash hands at the end of each work shift and before eating, smoking and using the toilet.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance	Liquid
Colour	White
Odour	Slight odour.
Solubility	Miscible with water.
Specific gravity	1.28 @ 20 deg C

9.2 Other information: None.

10. STABILITY & REACTIVITY

10.1. Reactivity	Not known
10.2. Chemical stability	Stable under normal temperature conditions and recommended use.
10.3. Possibility of hazardous reactions	Not known.
10.4. Conditions to avoid	Not relevant
10.5. Incompatible materials	
Materials To Avoid	No incompatible groups noted.
10.6. Hazardous decomposition products	Not known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information	Oral ATE mix >2000mg/kg (calculated) Dermal ATE mix > 5000mg/kg (calculated)
Inhalation	Not a primary route of exposure.
Ingestion	May cause discomfort if swallowed.
Skin contact	Contains 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one mixture (3:1). May produce an allergic reaction.
Eye contact	May cause temporary eye irritation.
· Skin corrosion/irritation:	Based on available data, the classification criteria are not met.
· Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
· Sensitisation:	Contains 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one mixture (3:1). May produce an allergic reaction.
· Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
· Carcinogenicity:	Based on available data, the classification criteria are not met.
· Reproductive toxicity:	Based on available data, the classification criteria are not met.
· STOT-single exposure:	Based on available data, the classification criteria are not met.
· STOT-repeated exposure:	Based on available data, the classification criteria are not met.
· Aspiration hazard:	Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

12.1 Acute Fish Toxicity	Based on calculation: the product is not considered harmful to aquatic life.
12.2. Persistence and degradability	Not known
12.3. Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	No data
12.5. Results of PBT and vPvB assessment	The product does not contain a substance fulfilling PBT or vPvB criteria.
12.6. Other adverse effects	Not known.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods	Dispose of in accordance with local authority regulations or through a reputable waste disposal contractor. Please recycle rinsed empty packaging where facilities exist.
--------------------------------------	---

14. TRANSPORT INFORMATION

General	This product is not classified as hazardous for transportation.
14.1 UN-Number	
ADR, IMDG, IATA :	Not applicable.
14.2 UN proper shipping name	
ADR, IMDG, IATA:	Not applicable.
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	Not applicable.

SAFETY DATA SHEET

Date of Issue: February 2004

Revision: November 2021

14.4 Packaging Group

ADR, IMDG, IATA: Not applicable.

14.5 Environmental hazards: Not a marine pollutant.

14.6 Special precautions for user: None

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific to this substance:

This substance is classified and labelled in accordance with Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2 Chemical Safety Assessment

Not undertaken for this material

16. OTHER INFORMATION

Reason for revision

Replaces version dated June 2021. Sections 2 and 3 updated.

General information

The information contained in this Safety Data Sheet is believed to be true and correct, as of the issue date. The accuracy and completeness of this information and any recommendations, or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use for this product.

Hazard Statements In Full

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

Wording of the hazard classes

Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1